

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

中華民國專利公報檢索系統－檢索結果

[注意事項][新的查詢][回上一頁]

第23卷第20期

專利種類：新型
公告編號：281315
公告日期：中華民國 85年07月11日
專利證號：000000
國際專利分類/IPC：G06F1/20 H05K7/20 H05K7/12
專利名稱：中央處理單元散熱扣件裝置
申請案號：84217634
申請日期：中華民國 84年12月08日
發明/創作人：林振義
發明/創作人地址：台中縣大里市西榮村東榮路五十五巷五十六號
申請人：加商企業有限公司
申請人地址：台北縣汐止鎮中興路一五〇巷四號二樓
代理人：
代理人地址：
優先權國家：
優先權日期：
優先權案號：

申請專利範圍：

1. 一種中央處理單元散熱扣件裝置，係於中央處理單元上方設有一導熱底座，並使該中央處理單元可被介裝於導熱底座與一腳座之間；上述導熱底座設有一適當寬度溝槽，該溝槽於鄰近側面處設有凹入部；而腳座則於相對位置具有突點；該溝槽及突點能配設扣件，此扣件於片體部一端設折片，且折片端部含有下彎舌片，其另端則設有垂直片，此垂直片於特定高度具有扣孔，而於其端部則具有一斜折片；依上述下彎舌片及扣孔能分別彈卡於導熱底座之溝槽凹入部及腳座突點。
2. 如申請專利範圍第1項所述中央處理單元散熱扣件裝置，其中，該導熱底座鄰近溝槽兩側之散熱片適當高度可頂設橫向短片。
3. 如申請專利範圍第1項所述中央處理單元散熱扣件裝置，其中，該溝槽及突點可配合不同尺寸及型式之腳座予以設置。

圖示簡單說明：

第1圖係本創作之立體圖。


第2圖係第1圖之元件分解圖。

第3圖係第1圖之剖視圖。

第4圖係第3圖之局部放大剖視圖。


第5圖係第1圖之側視圖。

第6圖係本創作導熱底座另一實施例。




第一圖

281315




第 2 圖

281315




第 3 圖




第 4 圖

281315



第 5 圖

281815



第 6 圖